

Bezeichnung  
japanische      DIN      Volt Ampere      Abmessungen      Gewicht      Pole / Terminals      Batteriemarken / Bestellnummern

Batterie	V	Ah	l x b x h	gefüllt Kg	+ / -	T	Diverse	YUASA
YB 12A-A	51211	12	12,0	135 x 81 x 161	4,1		G	V-04733
YTR 4A-BS		12	2,3	113 x 49 x 85	1,0		O	
12N 12A-4A-1		12	12,0	135 x 81 x 161	4,2		G	YB12A-A

↓ ↓  
Batterieanschlüsse

↓  
verstärkte Version

↓  
V-Nr. = Bestellnummer

## Schraubanschlüsse

Diagrams A through I illustrate different screw terminal types and their orientations. Each diagram shows a 'VORNE' (front) view, a 'SEITE' (side) view, and an 'OBEN' (top) view. The terminals include various shapes like flat-top, circular, and rectangular, with different internal contact designs.

## Terminals

### Kabelanschlüsse

Diagrams J through S illustrate different cable terminal types. Each diagram shows the terminal with its positive (+) and negative (-) polarity markings. The terminals include various shapes like cylindrical, rectangular, and specialized multi-pin connectors.

Batterie	V	Ah	l x b x h	gefüllt Kg	+ / -	T	Diverse	YUASA
6N 2-2A	6	2,0	70 x 47 x 96	0,6		J	V-23249	V-05657
6N 2-2A-1	6	2,0	70 x 47 x 96	0,6		S		
6N 2-2A-2	6	2,0	70 x 47 x 96	0,6		N		
6N 2-2A-3	6	2,0	70 x 47 x 96	0,6		P		
6N 2-2A-4	6	2,0	70 x 47 x 96	0,6		N		
6N 2-2A-5	6	2,0	70 x 47 x 96	0,6		N		
6N 2-2A-6	6	2,0	70 x 47 x 96	0,6		N		
6N 2-2A-7	6	2,0	70 x 47 x 96	0,6				
6N 2-2A-8	6	2,0	70 x 47 x 96	0,6		J		
6N 2-2D	6	2,0	70 x 47 x 104	0,6		J		
6N 2A-2C	6	2,0	70 x 47 x 106	0,6			V-25523	
6N 2A-2C-1	6	2,0	70 x 47 x 106	0,6				
6N 2A-2C-2	6	2,0	70 x 47 x 106	0,6				
6N 2A-2C-3	00214	6	70 x 47 x 106	0,6		R		
6N 4-2A	6	4,0	71 x 71 x 96	0,9		N	V-20775	
6N 4-2A-2	6	4,0	71 x 71 x 96	0,9				
6N 4-2A-3	6	4,0	71 x 71 x 96	0,9				
6N 4-2A-4	00411 00414	6	71 x 71 x 96	0,9		J		
6N 4-2A-5	6	4,0	71 x 71 x 96	0,9		P		
6N 4-2A-6	6	4,0	71 x 71 x 96	0,9				
6N 4-2A-7	6	4,0	71 x 71 x 96	0,9		J		
6N 4-2A-8	6	4,0	71 x 71 x 96	0,9				
6N 4A-4D	00413	6	58 x 62 x 131	1,0		K	V-07026	
6N 4A-4D-1	6	4,0	58 x 62 x 131	1,0				
6N 4B-2A	00412	6	103 x 48 x 96	1,0		N	V-05777	
6N 4B-2A-1	6	4,0	103 x 48 x 96	1,0		N		
6N 4B-2A-2	6	4,0	103 x 48 x 96	1,0		N		
6N 4B-2A-3	6	4,0	103 x 48 x 96	1,0		N		
6N 4B-2A-4	6	4,0	103 x 48 x 96	1,0		N		
6N 4B-2A-5	6	4,0	103 x 48 x 96	1,0		N		
6N 4C-1B	00415	6	71 x 71 x 105	0,9		R		



Batterie	V	Ah	l x b x h	gefüllt Kg	+ / -	T	Diverse	YUASA
6N 5,5-1D	6	5,5	90 x 70 x 100	1,1		K		
6N 5,5-1D-1	6	5,5	90 x 70 x 100	1,1		N		
6N 5,5-3D	6	5,5	90 x 70 x 100	1,1				
6N 6-1B	6	6,0	99 x 57 x 121	1,3				
6N 6-1B-1	6	6,0	99 x 57 x 121	1,3				
6N 6-1C	6	6,0	97 x 67 x 110	1,3		N		
6N 6-1D	6	6,0	99 x 57 x 111	1,3				
6N 6-1D-2	00613	6	99 x 57 x 111	1,3		S		V-14925
6N 6-3B	00611	6	99 x 57 x 121	1,3		G		V-00679
6N 6-3B-1	00612	6	99 x 57 x 121	1,3		G		V-07656
6N 7 (B39-6)	00714	6	126 x 48 x 126	1,6		G	V-06414	
6N 8 (B49-6)	00811	6	91 x 83 x 161	2,2		G		V-29319
YB 8L-B		6	120 x 71 x 95	1,5		G	V-08718	
6N 11-2D		6	150 x 70 x 100	2,1		G		
6N 11A-1B		6	122 x 62 x 132	2,1		G		V-27487
6N 11A-3		6	122 x 62 x 132	2,1				
6N 11A-3A	01214	6	122 x 62 x 132	2,1		G	V-07032	
6N 11A-4		6	122 x 62 x 132	2,1		G		
6N 11A-4A		6	122 x 62 x 132	2,1				
6YB 11-2D		6	150 x 71 x 100	2,3				
6N 12-4A		6	170 x 55 x 139	2,6				
6N 12A-2C		6	156 x 57 x 116	2,3		G		
6N 12A-2D	01225	6	156 x 57 x 116	2,3		G		V-06903
B 38-6A		6	119 x 83 x 161	2,8		G		V-05338
CB2-6 H2		6	115 x 100 x 215	4,5		E	V-03122	

