


Bezeichnung		DIN	Volt	Ampere	Abmessungen	Gewicht	Pole / Terminals	Batteriemarken / Bestellnummern	
Batterie	V	Ah	l x b x h		gefüllt Kg	+ / -	T	Diverse	YUASA
YB 12A-A	51211	12	12,0	135 x 81 x 161	4,1		G	V-11923	V-04733
YTR 4A-BS		12	2,3	113 x 49 x 85	1,0		O		
12N 12A-4A-1		12	12,0	135 x 81 x 161	4,2		G	YB12A-A	



Schraubanschlüsse

Terminals

Kabelanschlüsse

Batterie	V	Ah	l x b x h	gefüllt Kg	+ / -	T	Diverse	YUASA		
SPARTA	12	1,2	111 x 44 x 45		<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>					
12N 5-3B	12	5,0	121 x 61 x 131	2,0	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G	YB 5L-B			
12N 5-4B	12	5,0	121 x 61 x 131	2,0	<input style="color:red" type="text" value="+"/> <input type="text" value="-"/>	G		V-25524		
12N 5,5-3	12	5,5	138 x 61 x 131	2,4	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>					
12N 5,5-3B	12	5,5	138 x 61 x 131	2,4	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G				
12N 5,5-4	12	5,5	138 x 61 x 131	2,4	<input style="color:red" type="text" value="+"/> <input type="text" value="-"/>					
12N 5,5-4A	12	5,5	138 x 61 x 131	2,4	<input style="color:red" type="text" value="+"/> <input type="text" value="-"/>	C				
12N 5,5-4A-1	12	5,5	138 x 61 x 131	2,4	<input style="color:red" type="text" value="+"/> <input type="text" value="-"/>					
12N 5,5-4B	12	5,5	138 x 61 x 131	2,4	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G				
12N 5,5A-3B	12	5,5	103 x 90 x 114	2,4	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G				
12N 7-3B	12	7,0	137 x 76 x 134	3,0	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G			YB 7L-B	
12N 7-3B-1	12	7,0	137 x 76 x 134	3,0	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>					
12N 7-4A	12	7,0	137 x 76 x 134	3,0	<input style="color:red" type="text" value="+"/> <input type="text" value="-"/>	G	YB 7-A			
12N 7-4B	12	7,0	137 x 76 x 134	3,0	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G	YB 7L-B			
12N 7B-4A	12	7,0	151 x 61 x 131	3,0	<input style="color:red" type="text" value="+"/> <input type="text" value="-"/>	B				
12N 7D-3B	12	7,0	137 x 76 x 150	3,0	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G				
12N 7CZ-3D	12	8,0	130 x 90 x 114	3,0	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	D				
12N 9-3A	12	9,0	137 x 76 x 140	3,2	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	H	YB 9L-A2			
12N 9-3A-1	12	9,0	137 x 76 x 140	3,2	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G				
12N 9-3B	12	9,0	137 x 76 x 140	3,2	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G	YB 9L-B			
12N 9-4B	12	9,0	138 x 77 x 141	3,2	<input style="color:red" type="text" value="+"/> <input type="text" value="-"/>	G	YB 9B			
12N 9-4B-1	12	9,0	137 x 76 x 140	3,2	<input style="color:red" type="text" value="+"/> <input type="text" value="-"/>	G	YB 9B			
12N 10-3A-1	12	10,0	136 x 91 x 146	4,0	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G				
12N 10-3A-2	12	10,0	136 x 91 x 146	4,0	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	I	YB 10L-A2			
12N 10-3B	12	10,0	136 x 91 x 146	4,0	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G	YB 10L-B			
12N 10-3B-1	12	10,0	136 x 91 x 146	4,0	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>					
12N 11-3A	12	11,0	136 x 91 x 156	4,3	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>					
12N 11-3A-1	12	11,0	136 x 91 x 156	4,3	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	I	YB 10L-A2			
12N 11-3B	12	11,0	136 x 91 x 156	4,3	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G				
12N 12-3A	12	12,0	202 x 76 x 134	4,2	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>					
12N 12-3B	12	12,0	202 x 76 x 134	4,2	<input type="text" value="-"/> <input style="color:red" type="text" value="+"/>	G				

Batterie	V	Ah	l x b x h	gefüllt Kg	+ / -	T	Diverse	YUASA
12N 12A-4A-1	12	12,0	135 x 81 x 161	4,2	+ -	G	YB 12A-A	
12N 14-3A	12	14,0	135 x 90 x 167	4,9	- +	I	YB 14-A2	
12N 14-3B	12	14,0	135 x 90 x 167	4,9	- +	I	YB 14-B2	
12N 16-4B	12	16,0	176 x 101 x 156	5,7	- +	G	YB 16L-B	
12N 18-3	12	18,0	206 x 91 x 164	6,2	- +	G		
12N 18-3A	12	18,0	206 x 91 x 164	6,2	- +	H	Y50-N18L-A	
12N 18-3B	12	18,0	206 x 91 x 164	6,2	- +			
12N 16-3B	12	19,0	176 x 101 x 156	5,7	- +	G		
12Y 16A-3 B	12	19,0	186 x 81 x 170	4,6	- +	D		
12N 24-3	12	24,0	186 x 125 x 176	7,9	- +	D		
12N 24-3A	12	24,0	186 x 125 x 176	7,9	- +	D	Y60-N24-LA2	
12N 24-4	12	24,0	186 x 125 x 176	7,9	+ -	D		
12N 24-4A	12	24,0	186 x 125 x 176	7,9	+ -	D		
B 68-12	12	28,0	185 x 125 x 176	8,6	+ -	D		
6 MK 5	12	32,0	230 x 126 x 165	8,5	- +	G		

